Listing and Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A process for the relative locating of a first electrical appliance plugged into a first part of an electrical network and a second electrical appliance plugged into a second part of the electrical network

comprising the following steps:

- measurement of a first number of alternations or of electrical periods on the first part by the first electrical appliance from the energizing of the first part and up to transmission of a signal by the first electrical appliance;
- measurement of a second number of alternations or of electrical periods on the second part by the second electrical appliance from the energizing of the second part and up to receipt of [[a]] the signal from the first electrical appliance;
 - comparison of the first number with the second number.
 - 2. (Original) A process according to Claim 1, with a step of:
- exchange of the first number or of the second number by a communication between the first electrical appliance and the second electrical appliance.
- 3. (Original) A process according to Claim 2, wherein the communication is a communication by carrier currents.
- 4. (Currently Amended) A process according to Claim 2, wherein said signal corresponds to [[the]] <u>a</u> start signal for the communication.
- 5. (Original) A process according to Claim 1, with a step posterior to the said comparison whose nature depends on the difference between the first number and the second number.
- 6. (Currently Amended) A process according to Claim 1, wherein [[the]] <u>a</u> transmission of said signal takes place after a specified duration determined by the first electrical appliance.
- 7. (Original) A process according to Claim 6, wherein the specified duration lies between 1 s and 20 s.

Ser: No.10/660,140 Internal Docket No. PF020114

- 8. (Original) A process according to Claim 6, wherein the specified duration has at least one random or pseudo-random component.
- 9. (Original) A process for locating a first electrical appliance plugged into a first part of an electrical network relative to a second electrical appliance plugged into a second part of the electrical network

comprising the following steps:

- measurement of a first number of alternations or of electrical periods on the first part by the first electrical appliance from the energizing of the first part and up to the start of a communication with the second electrical appliance;
- receipt by the first electrical appliance of a second number of alternations or of electrical periods on the second part measured by the second electrical appliance from the energizing of the second part to the start of communication;
 - comparison of the first number with the second number.
- 10. (Currently Amended) A process for the relative locating of a first electrical appliance plugged into a first part of an electrical network and a second electrical appliance plugged into a second part of the electrical network

comprising the following steps:

- measurement according to a specified criterion of a first characteristic related to the electrical signal on the first part by the first electrical appliance from the energizing of the first part and up to the start of a communication with the second electrical appliance;
- measurement according to said criterion of a second characteristic related to the electrical signal on the second part by the second electrical appliance <u>from the energizing of the second part and up to receipt of a signal from the first electrical appliance</u>;
 - comparison of the first characteristic with the second characteristic.
- 11. (Currently Amended) A process for decrypting a digital content by a first electrical appliance plugged into a first part of an electrical network, a second electrical appliance being plugged into a second part of the electrical network,

comprising the following steps:

- measurement according to a specified criterion of a first characteristic related to the electrical signal on the first part;

Ser: No.10/660,140

Internal Docket No. PF020114

- measurement according to said criterion of a second characteristic related to the electrical signal on the second part;

- comparison of the first characteristic with the second characteristic;
- decryption if and only if the result of the comparison is positive <u>first</u> characteristic is equivalent to the second characteristic.
- 12. (Currently Amended) A process according to Claim 11, wherein the result of the comparison is positive first characteristic is equivalent to the second characteristic if and only if the first characteristic is equal to the second characteristic.
- 13. (Currently Amended) A process according to Claim 11, wherein the result of the comparison is positive first characteristic is equivalent to the second characteristic if and only if the first characteristic differs from the second characteristic by less than a predetermined tolerance value.
 - 14. (Original) A process according to Claim 11, with a step of:
- exchange of the first characteristic or of the second characteristic by a communication by carrier currents.
- 15. (Original) A process according to Claim 11, wherein the first electrical appliance and the second electrical appliance are digital decoders.